


CM2不锈钢气缸




型号表示方法



行程

缸径 (mm)	标准行程 (mm)	最长行程 (mm)
20		500
25	25,50,75,100,125,	800
32	150,200,250,300	1000
40		1000

外形尺寸图



缸径	A	AL	B ₁	B ₂	D	E	F	G	H	H ₁	H ₂	I	K	MM	N	NA	NN	P	S	ZZ
20	18	15.5	13	26	8	20 ⁰ _{-0.033}	13	8	41	5	8	28	5	M8×1.25	15	24	M20×1.5	PT1/8	62	116
25	22	19.5	17	32	10	26 ⁰ _{-0.033}	13	8	45	6	8	33.5	5.5	M10×1.25	15	30	M26×1.5	PT1/8	62	120
32	22	19.5	17	32	12	26 ⁰ _{-0.033}	13	8	45	6	8	37.5	5.5	M10×1.25	15	34.5	M26×1.5	PT1/8	64	122
40	24	21	22	41	14	32 ⁰ _{-0.039}	16	11	50	8	10	46.5	7	M14×1.5	21.5	42.5	M32×2	PT1/4	88	154

平端型 (mm)


缸径	ZZ	缸径	ZZ
20	103	32	109
25	107	40	138

带气缓冲


缸径	N1	WA	WB	缸径	N1	WA	WB
20	17.5	13	8.5	32	17.5	13	11.5
25	17.5	13	10.5	40	21.5	16	15

CM2不锈钢气缸

CM2E 缸径 - 行程



带气缓冲



缸径	A	AL	B ₁	CD	CI	CX	D	E	F	G	H	H ₁	I	K	L	MM	N	NA	NN
20	18	15.5	13	8	20	12	8	20 ⁰ _{-0.033}	13	8	41	5	28	5	12	M8×1.25	15	24	M20×1.5
25	22	19.5	17	8	22	12	10	26 ⁰ _{-0.033}	13	8	45	6	33.5	5.5	12	M10×1.25	15	30	M26×1.5
32	22	19.5	17	10	27	20	12	26 ⁰ _{-0.033}	13	8	45	6	37.5	5.5	15	M10×1.25	15	34.5	M26×1.5
40	24	21	22	10	33	20	14	32 ⁰ _{-0.039}	16	11	50	8	46.5	7	15	M14×1.5	21.5	42.5	M32×2


平端型 (mm)

缸径	P	RR	S	Z	ZZ
20	PT1/8	9	62	115	124
25	PT1/8	9	62	119	128
32	PT1/8	12	64	124	136
40	PT1/4	12	88	153	165


带气缓冲

缸径	N1	WA	WB
20	17.5	13	8.5
25	17.5	13	10.5
32	17.5	13	11.5
40	21.5	16	15

CM2WB 缸径 - 行程



带气缓冲



CM2不锈钢气缸


缸径	A	AL	B ₁	B ₂	D	E	F	G	H	H ₁	H ₂	I	K	MM	N	NA	NN	P	S	ZZ
20	18	15.5	13	26	8	20 ⁰ _{-0.033}	13	8	41	5	8	28	5	M8×1.25	15	24	M20×1.5	PT1/8	62	144
25	22	19.5	17	32	10	26 ⁰ _{-0.033}	13	8	45	6	8	33.5	5.5	M10×1.25	15	30	M26×1.5	PT1/8	62	152
32	22	19.5	17	32	12	26 ⁰ _{-0.033}	13	8	45	6	8	37.5	5.5	M10×1.25	15	34.5	M26×1.5	PT1/8	64	154
40	24	21	22	41	14	32 ⁰ _{-0.033}	16	11	50	8	10	46.5	7	M14×1.5	21.5	42.5	M32×2	PT1/4	88	188

带气缓冲

缸径	N1	WA	WB
20	17.5	13	8.5
25	17.5	13	10.5
32	17.5	13	11.5
40	21.5	16	15

行程可调

C□M2B 缸径 - 行程 Z-XC8




缸径/符号	B ₃	H ₃	MA	MI	MK	MM ₂	MT	MH	ML	ZZ
20	10	3.6	12	14	7	M6×1	16.5	47	18	150
25	13	5	17	20	9	M8×1.25	17.5	49	18	156
32	13	5	17	20	9	M8×1.25	17.5	49	18	158
40	17	6	19	25	10	M10×1.25	21.5	60	24	198

注: 附磁型与不附磁型之尺寸相同。


CM2不锈钢气缸

CM2B 缸径 - 行程 $\begin{matrix} S \\ T \end{matrix}$


弹簧压回型



弹簧压出型



平端型



缸径	A	AL	B ₁	B ₂	D	E	F	G	H	H ₁	H ₂	I	K	MM	N	NA	NN	P
20	18	15.5	13	26	8	20 ⁰ _{-0.033}	13	8	41	5	8	28	5	M8×1.25	15	24	M20×1.5	1/8
25	22	19.5	17	32	10	26 ⁰ _{-0.033}	13	8	45	6	8	33.5	5.5	M10×1.25	15	30	M26×1.5	1/8
32	22	19.5	17	32	12	26 ⁰ _{-0.033}	13	8	45	6	8	37.5	5.5	M10×1.25	15	34.5	M26×1.5	1/8
40	24	21	22	41	14	32 ⁰ _{-0.039}	16	11	50	8	10	46.5	7	M14×1.5	21.5	42.5	M32×2	1/4

与行程有关的尺寸 (mm)

缸径	行程 记号	1~50		51~100		101~150		151~200		201~250	
		S	ZZ	S	ZZ	S	ZZ	S	ZZ	S	ZZ
20		87	141	112	166	137	191	-	-	-	-
25		87	145	112	170	137	195	-	-	-	-
32		89	147	114	172	139	197	164	222	-	-
40		113	179	138	204	163	229	188	254	213	279

平端型 (mm)

缸径	行程 记号	1~50	51~100	101~150	151~200	201~250
		ZZ	ZZ	ZZ	ZZ	ZZ
20		128	153	178	-	-
25		132	157	182	-	-
32		134	159	184	209	-
40		163	188	213	238	263